



Guangdong Foshan Medical (yutengmed) Device
Pharmaceutical Equipment Co., Ltd.
Address: Chengliu East Road, Gaoming District,
Foshan City, Guangdong Province, China
Tel: +86-757-81816518
Email: sales@yutengmed.com
Website: www.yutengmed.com
POST CODE: 528251



YUTENG MED TECH
REHABILITATION

Easy life, Keep moving





YUTENG MED TECH
REHABILITATION

— Easy life, keep moving!

CONTENTS

Company Profile	Preface
Rollator Series	01-10
Power Wheelchair Series	11-14
Aluminum Wheelchair Series	15-29
Wheelchair For Children Series	30
Steel Wheelchair Series	31-38
Commode Series	39-52
Bathroom Safety Series	53-66
Walker Series	67-76
Cane Series	77-80
Others	81-84
Hospital Bed Series	85-88
Spare Parts	89-91

• Certificates

- TUV-ISO9001:2015
- ISO13485:2016
- FDA
- CE MDR
- UKCA
- SFDA
- BSCI
- GB/T29490-2013
- SGS



Model Number Function Code

• CA9862LFHBCQ-46-24" Wheelchair

L: Aluminum frame

F: Foldable backrest

H: United hand brake

B: Mag wheel

C: Elevating legrest

Q: Quick release

-46: 46CM seat width

-24": 24 inch rear wheel

B: Mag wheel C: Elevating legrest F: Foldable back



G: Reclining high back

H: United hand brake

-KD: knock-down



L: Aluminum

Q: Quick release

W: heavy duty



• Our team

• Production base



• Sales team



• Exhibitions



• Showroom



Rollator Series



Option!



Cane holder

Option!



Cup holder

Option!



Flexible armrest

• CA8870L

Aluminum Rollator

- Light weight Alu liquid coated frame
- Oxford soft seat & backrest
- Easily foldable
- With large capacity shopping bag
- With obstacle-crossing pedal
- Detachable footrest
- 8" castors
- Soft TPR handle
- Option: Cup holder, Cane holder, Armrest

105	62	85-97.5	25	44	31	55
8"	8"	63x55x28	110	9.9/11.5		



• CA8860L Aluminum Rollator (Euro-style)

- Nylon seat & backrest
- Liquid coated frame
- Soft TPR handle
- With obstacle-crossing pedal
- 8" castors
- Option: Cup holder, Cane holder

72	64	82-92	25	46	25	48
8"	8"	75x27x85	110	7.1/9.7		



• CA8861L Deluxe Aluminum Rollator

- Nylon seat & backrest
- Liquid coated frame
- Soft TPR handle
- With obstacle-crossing pedal
- 8" castors
- Option: Cup holder, Cane holder

65	62	81-93	31	40	20	55
8"	8"	67x31x82.5	110	6.1/7.7		

Option!



Cup holder



Cane holder



• CA8862L Deluxe Aluminum Rollator

- Nylon seat & backrest
- Liquid coated frame
- With shopping bag
- Easily foldable
- 10" front castors & 8" rear wheels
- Option: Cup holder, Cane holder

74.2	65	81-93	25.5	23	25	55
10"	8"	75.5x27x84	110	7/8.7		



• CA8864L Aluminum Rollator

- Liquid coated frame
- Reflectors on both sides and front
- Soft TPR handle
- 10" front castors & 8" rear wheels
- Easily foldable
- Option: Cup holder, Cane holder

73	63.5	80-90	27.5	41.5	25	54
10"	8"	75x30x87	110	8.3/9.9		



• **CA8875L** Aluminum Rollator

- Liquid coated frame
- With 8" castors
- Nylon seat & backrest
- Detachable rear castor

74	65	81.5-94	25	46	25	55
23-35	8"	8"	86x52x19	110	7.8	



CA8876L

• **CA8876L-KD** Aluminum Rollator

- Liquid coated frame
- With 8" castors
- Nylon seat & backrest
- Optional: KD frame, small package

74	65	81.5-94	25	46	25	55
23-35	8"	8"	64x49x19	110	7.5	



• **CA8874L** Aluminum Rollator

- Liquid coated frame
- With 8" castors
- Nylon seat & backrest
- Detachable rear castor

71	65	81.5-94	25	46	25	55
23-35	8"	8"	86x56x22	100	8	



• **CA8877L** Aluminum Rollator

- Nylon seat & backrest
- Liquid coated frame
- With 10" front castor & 8" rear castor
- Optional: 8" front castor

71	65	81.5-92	25	46	25	56
23-35	10"	8"	72x25x85	110	7.4	



• **CA8863L** Aluminum Rollator

- Powder coated frame
- With 8" castors
- Nylon seat & backrest
- Easily foldable

75	66	80-92	25	45	24	54
23-35	8"	8"	66x27.5x37	100	8	



• **CA8873L** Aluminum Rollator

- Liquid coated frame
- With 8" castors
- Easily foldable
- Detachable castors, small package

74	64	81.5-94	25	46	25	55
23-35	8"	8"	64x43x19	100	7.4	



• **CA8616L-KD** Aluminum Rollator

- PVC soft seat
- Liquid coated frame
- With 8" castors

66.5-72	64	77-95		45		
8"	8"	54.5x17x52	100	7.2		



• **CA8617-KD** Steel Rollator

- PVC soft seat
- Liquid coated frame
- With 6" castors

65	63.5	76-87		45		51.5
6"	6"	54.5x17x52	100	8.6		



• **CA861L** Aluminum Rollator

- Liquid coated frame
- With 6" wheels & PVC soft seat
- With locking mechanism
- Option: Shopping bag or Basket

61	61	79-90	22	45		55
24	6"	6"	61x22.5x86	110	NW/GW KGS (Kg)	6.9/8.4



• **CA8611L** Aluminum Rollator

- Liquid coated frame
- With 6" wheels & PVC soft seat
- With locking mechanism
- Option: Shopping bag or Basket

61	61	79-90	22	45		55
24.5	6"	6"	61x22.5x86	110	NW/GW KGS (Kg)	6.9/8.4



• **CA8882L** Aluminum Rollator

- Liquid coated frame
- Folding footrest, optional armrest
- With 8" castors
- Option: Shopping bag or Basket

92	61	79-89	24	44		53
24	8"	8"	61x25x86	100	NW/GW KGS (Kg)	8.61/9.96



• **CA8880L** Aluminum Rollator

- Liquid coated frame
- Folding footrest for extra comfort & armrest
- With 8" castors
- Option: Shopping bag or Basket

79.5	62	86-95	24.5	45		47
22.5	8"	8"	63.5x26x85	100	NW/GW KGS (Kg)	8.48



• **CA882L** Aluminum Rollator

- PVC soft seat
- Liquid coated frame
- With 8" castors
- Option: Shopping bag or Basket

68	61	79-90	22	45		54
25.5	8"	8"	61x22.5x86	110	NW/GW KGS (Kg)	7.4/8.2



• **CA8851L** Aluminum Rollator

- PVC soft seat
- Liquid coated frame
- With 8" castors
- Option: Shopping bag or Basket

69	61	80-91	22	45		55
25.5	8"	8"	61x22.5x88	100	NW/GW KGS (Kg)	7.7/9.3



• **CA8854L** Aluminum Rollator

- PVC soft seat
- Liquid coated flamed frame
- With 8" castors
- Option: Shopping bag or Basket

58	62	77-89	23	45		47
27	8"	8"	63.5x24.5x79	100	NW/GW KGS (Kg)	6.5



• **CA8761L** Aluminum Rollator

- Anodized or liquid coated frame
- With 8" castors
- Detachable frame & easily foldable
- With foldable seat

68-75	60	84-100	22	43		67
25	8"	8"	60x54x18	100	NW/GW KGS (Kg)	6.7/8



• CA882LW

Extra Wide Aluminum Rollator

- Liquid coated frame
- PVC soft seat
- With 8" castors
- Option: Shopping bag or Basket

69	74	78-89	22	56		54
26	8"	8"	73x22.5x89	136	NW/GW KGS (kg)	8.72/10.49



• CA882W

Extra Wide Steel Rollator

- Liquid coated frame
- PVC soft seat
- With 8" castors
- Option: Shopping bag or Basket

69	74	78-89	22	56		55
26	8"	8"	73x22.5x86	150	NW/GW KGS (kg)	11.84/13.32



• CA8821W

Steel Rollator

- PVC soft seat
- Powder coated frame
- 8"x2" castors
- With PU push paddle & brake system
- Option: Shopping bag or Basket

69	74	115-126	21	56		55
25	8"	8"	79x25x86	150	NW/GW KGS (kg)	13.84



• CA871L Aluminum Rollator

- PVC soft seat
- Liquid coated frame
- With 5" castors
- Option: Shopping bag or Basket

61	61	78-89	20	44		53
25	5"	5"	61x22.5x85	100	NW/GW KGS (kg)	7.2/8.7



• CA880 Steel Rollator

- Powder coated frame
- With basket & PVC soft seat
- With 8"x2" castors
- Option: Tray

76	60	78.5-91	24	42		62
/	8"	8"	60x26x71	110	NW/GW KGS (kg)	13.6/14.6



• CA873L Aluminum Rollator

- PVC soft seat
- Liquid coated frame
- With 6" castors
- Option: Shopping bag or Basket

62	61	79-90	20	44		54
25	6"	6"	61x22.5x85	100	NW/GW KGS (kg)	7.2/8.7



• CA8801 Steel Rollator

- Powder coated frame
- With basket & PVC soft seat
- With 8"x2" castors
- With PU push paddle & brake system
- Option: Tray

76	60	102-115	24	42		62
/	8"	8"	60x26x71	110	NW/GW KGS (kg)	14.22



• **CA8777**
Knee Scooter

- With Sponge knee pad & shopping bag
- Shock absorber
- The handrail adjustment is fixed with knob
- With 8" castors

80	44	88-103		17.5		43-58
8"	8"	50x41x28		136	9.9/10.8	



• **CA8776**
Knee Walker

- Steel powder coated frame
- With height adjustable PU seat & shopping bag
- With 8" castors

82	43	84-105		18		42-58
8"	8"	83x45x44		110	10.3/12.5	



• **CA8773F**
Knee Walker

- Steel powder coated frame
- Easily foldable
- With height adjustable PU seat & shopping bag
- With 8" castors

82	43	84-105		18		42-58
8"	8"	63.5x47x51		110	11.5/13.2	



• **CA891L** Aluminum Rollator

- Liquid coated frame
- With 8" castors
- With PVC bag, basket & tray

57	64	82-97	24	/	/	/
/	8"	8"	66x30x72.5 2pcs/ctn	100	6.8/15.1	



• **CA892** Steel Rollator

- Power coated frame
- With 8"x2" castors
- With PVC bag, basket and tray

57	64	82-97	24	/	/	/
/	8"	8"	66x30x72.5 2pcs/ctn	100	7.5/16.5	

Option!



• **CA894** Steel Rollator

- Liquid coated frame
- With 8" castors
- With nylon seat, backrest & bag

59	64	85-101	24	34		55
24	8"	8"	68x25x76	100	6.1/7.1	



• **CA891-KD** Steel Rollator

- Powder coated frame
- With 8" castors
- With PVC bag
- KD frame, small package

58	67	77-95	26	/	/	/
/	8"	8"	52x49x21	110	6.3	

Power Wheelchair Series



PLUG OPTIONS



• CA516L Electric Foldable Wheelchair

- Liquid coated aluminum frame
- With luggage castor for carriage
- Flip-up armrest & footrest
- Easy folding

61	102	96	42	42	54	10"	7"
Motor			Controller	Brake System		Charger	
Brushless 103W*2		Lithium battery 24V/10.4AH	Shanghai Micon	electro magnetic		29.4V/2A	
Travel Distance	Sloping ability	Maximum speed	DIM		NW/GW KGS (KG)		
17-20km	13 degree	4.5km/hr	80x66x45	100	26/28.4		

• CA512LF Electric Foldable Scooter

- Aluminum alloy frame
- 6" front castors & 7.5" rear wheels
- Automatic folding system
- Separable front & rear axle, wight 20.6KG + 9KG
- Detachable & separable battery allowed by air travel
- Height adjustable handle
- Adjustable armrest
- Folding method: remote control/button on controller/manual
- Color option: Blue, Red, Black



51	102	85	40	34	52.5	7.5"	6"
Motor			Controller	Brake System		Charger	
brushless 180W		Lithium battery 24V/5.2AH	PG/45A	electro magnetic		25V/2A	
Travel Distance	Sloping ability	Maximum speed	DIM		NW/GW KGS (KG)		
15km	12 degree	6km/hr	60x44x84	120	29.6/32		



• CA516L-S Electric Foldable Wheelchair

- Liquid coated aluminum frame
- Quick release battery allows convenient charging
- Flip-up armrest & footrest
- Easy folding

							
62	87	91	42		48	8"	6"
Motor			Controller		Brake System		Charger
brushless 150W		Lithium battery 28V/5AH		Shanghai Micon	electro magnetic		29.4V/2A
Travel Distance	Sloping ability	Maximum speed				NW/GW KGS	
				DIM	(KG)	(KG)	
15-18km	6 degree	4.5km/hr		60x47x55		100	15.7/18





Option!

CA513LF-14

CA513LF-10



• CA513LF-20

- Aluminum liquid coated frame
- S shape cross bar folding frame
- With push wheel
- Adjustable PU armrest
- Foldable backrest & swing away footrest



70	97.5	87.5	45	41	49	20"	8"
Motor		Controller		Brake System		Charger	
Brushless 300W*2		Lithium battery 24V/10.4AH		electronic		29.4V/2A	
Travel Distance	Sloping ability	Maximum speed				NW/GW KGS	
20-25km	13 degree	4.5km/hr	76.5x42x78	100		25.3/28	



• CA518F

- Steel liquid coated frame
- Foldable backrest & flip-up footrest
- Battery weight: 10kg
- Folding size: L67×W40×H71.5cm

58	95	89	39	41.5	47	12"	7"
Motor		Controller		Brake System		Charger	
Brush 250W		Lead acid battery 24V/12AH		electronic			
Travel Distance	Sloping ability	Maximum speed				NW/GW KGS	
10km	10 degree	6km/hr	71x40x76	110		28+10/40	



• CA500Q

- Steel powder coated frame
- Foldable backrest
- Swing away footrest
- Battery weight 9KG

63	110	97	44			16"	10"
Motor		Controller		Brake System		Charger	
Brush 250W*2		Lead acid battery 24V/12AH		electronic			
Travel Distance	Sloping ability	Maximum speed				NW/GW KGS	
15km	15 degree	6km/hr	80x39x81	120		35+9/46	



• CA500C

- Aluminum liquid coated frame
- Flip-up armrest
- With reflectors
- Optional: brussless motor

65	110	102	49			12"	8"
Motor		Controller		Brake System		Charger	
Brush 250W*2		Lithium battery 24V/12AH		electro magnetic			
Travel Distance	Sloping ability	Maximum speed				NW/GW KGS	
15km	15 degree	6km/hr	66x43x81	120		24.5+3/29	

Aluminum Wheelchair Series



Sport Wheelchair Options

Rear Wheel



A-Basic



B-Deluxe




C-Sporty



D-Carbon

Side board



Basic-
Black painting
Aluminum



Deluxe-
Carbon fibre painting
Aluminum

Seat & Back Cushion



Tension adjustable



Rigid hard back



Ergonomic seat

Other optional spare parts



Handle



Shopping bag



Non-slip rubber sleeve



anti-tipper



Push handle

• CA9886LQ

Aluminum Deluxe Sport Wheelchair

- Rear wheel height adjustable
- Breathable and comfortable cushion
- Foldable anti-tipper
- Ergonomic push handle
- With 4" front wheels and 24" sporty rear wheels
- Optional: Ergonomic backrest, Side board, Handle, Shopping bag, Rubber sleeve
- Rear wheel option: A-Basic, B-Deluxe, C-Sporty, D-Carbon



62	89	69	34	42	49	24
24"	4"	88x63.5x66	100	11		



• CA9869LQ

Aluminum Leisure Sport Wheelchair

- Foldable frame, angle adjustable front castor
- Breathable, comfortable cushion
- Foldable anti-tipper, Ergonomic push handle
- With 4" front wheels and 24" sporty rear wheels
- Optional: Rear wheels, Side board, Handle, Shopping bag, Rubber sleeve

57	85	78	38	36	48	28
32	24"	4"	86x34x79.5	120	NW/GW KGS	11/13

36/38/40/42/43/45cm optional



• CA9881LQ

Deluxe Aluminum Wheelchair

- Breathable and comfortable cushion
- With 4" front wheels and 24" quick release rear wheels
- Foldable backrest, foldable anti-tipper
- Ergonomic push handle
- Optional: Rear wheels, Side board, Handle, Shopping bag, Rubber sleeve

64	88.5	69-78	38	40	40.5	53
20	24"	4"	90x65.5x72	136	NW/GW KGS	12.5/19

36/38/40/42cm optional



• CA9883LQ

Active Aluminum Sports Wheelchair

- Breathable and comfortable cushion
- Foldable aluminum frame
- With 4" front castors & 24" rear wheels
- Quick release rear wheel
- Optional: Rear wheels, Side board, Handle, Shopping bag, Rubber sleeve

60	85	68.5	40	40.5	53	20
36.5	24"	4"	83x38x66.5	100	NW/GW KGS	

• CA9862LFHQ

Aluminum Functional wheelchair

- Liquid coated frame
- flip-up & detachable armrest
- Foldable backrest
- Height adjustable, quick release rear wheels
- With 8" front wheel & 24" rear fixed wheel
- Detachable footrest
- Double cross bar

Economic CA9862LB



Configuration Option:



Double-layer seat cushion



Adjustable armrest



Reflector



Hand Brake



Anti-tipper



Foldable backrest

SPECS(cm) MODEL	Width	Length	Height	Seat width	Seat depth	Seat height	Backrest height	Folding width	Rear wheel (inch)	Front wheel (inch)	Packaging DIM	Pcs/ctn	Max user weight (kg)	NW/GW KGS
CA9862LFHQ	65	103	94	46	42	49.5	44	29	24"	8"	82x31.5x79.5	1	120	15/17



• CA9865LFHQ

Aluminum Functional wheelchair

- Liquid coated frame
- Flip-up & detachable armrest
- Detachable footrest
- With 8" front wheel 22" solid rear wheel (quick release)
- Foldable backrest
- Double layer breathable seat & backrest

CA9865LFHQ(C)



64	106	95	46	40	52.5	40
29	22"	8"	81x30.5x78	100	NW/GW KGS	13/15



• CA9865LFH-12

Aluminum Functional Wheelchair(Economic)

- Liquid coated frame
- Flip-up & detachable armrest
- Detachable footrest
- With 8" front wheel & 12" rear fixed wheel
- Foldable backrest
- Double cross bar

57.5	92	94	46	40	53	41
26	12"	8"	74x28.5x76.5	110	NW/GW KGS	12.2/14.4



• CA9791LFHQ-24

Deluxe Aluminum Wheelchair

CA9791LFH-12



- Light weight Alu liquid frame
- PU armrest
- Breathable and comfortable cushion
- Detachable footrest & foldable backrest
- With 8" front castors & 24" rear wheels
- Quick release rear wheel

68	97.5	87.5	45	41	47	37
33.5	24"	8"	88x35.5x77	130	NW/GW KGS	13.5/15.7



• CA9793LFH

Aluminum Wheelchair

- Liquid coated frame
- Flip-up armrest
- Detachable footrest
- With 8" front wheel 22" solid rear wheel
- Foldable backrest

65	102	90	46	42	50	39
29	22"	8"	79x32.5x76	100	NW/GW KGS	12.5

• CA9863LQ

Aluminum Wheelchair



- Powder coated frame
- Flip-up & detachable armrest
- Breathable and comfortable cushion
- Detachable footrest
- With 8" front castors & 24" rear wheels
- Quick release rear wheel

66	100	85	46	43	52	44
33	24"	6"	80x35x86.5	120	NW/GW KGS	16.5/18.5



Optional



• CA9671LFH-A

Aluminum Light Weight Wheelchair

- Aluminum Light weight frame
- Fixed PU armrest, flip up footrest
- Foldable backrest
- With both loop brake and hand brake
- 6" front solid castor, 20" PU rear wheel



• CA9671LFH-B

Aluminum Light Weight Wheelchair

- Aluminum Light weight frame
- Fixed armrest, flip up footrest
- Foldable backrest
- With loop brake and hand brake
- 6" front solid castor, 12" PU rear wheel



• CA963LFH

Aluminum Light Weight Wheelchair

- Aluminum Light weight frame
- Folding backrest
- Fixed armrest, Fixed footrest
- 6" Solid Castor,
- Double cross bar
- 20" Spoke wheel



• CA9612LHB

Aluminum Light weight Transport Chair

- Aluminum Light weight frame
- 16" Mag wheel with PU tyre
- Fixed armrest, Fixed footrest
- With loop brake and hand brake
- 6" Solid Castor

SPECS(cm) MODEL	Width	Length	Height	Seat width	Seat depth	Seat height	Backrest height	Folding width	Rear wheel INCH	Front wheel INCH	Packaging DIM	Pcs/ctn	Maximum weight capacity KG	NW/GW KGS
CA9671LFH-A	63	100	93	46		48	40	25	20"	6"	80x29x75	1	100	11/12.7
CA9671LFH-B	61	93	93	46		48	40	25	12"	6"	73x29x75	1	100	9.5/11
CA963LFH	57	94	92	43	35	49	42	28	20"	6"	82x28x77	1	100	12.58
CA9612LHB	57	93	85	43	35	47	39	25	16"	6"	85x27x87	1	100	12.15



• CA9671LFH (deluxe)

Aluminum Light Weight Wheelchair

- Aluminum Light weight frame
- Fixed armrest, flip up footrest
- Foldable backrest
- With both loop brake and hand brake
- 6" front solid castor, 20" PU rear wheel



• CA909LH

Aluminum Wheelchair

- Powder coated frame
- With loop brake and hand brake
- 6" front wheel & 22" PU wheel



• CA965LEH (2024 version)

Aluminum Light Weight Wheelchair

- Colored nylon seat
- With loop brake and hand brake
- Powder coated frame
- 6" front wheel, 22" solid wheel



• CA966LEH (2024 version)

Aluminum Transport Chair

- Colored nylon seat
- With loop brake and hand brake
- Powder coated
- 6" front wheel, 16" PU wheel

SPECS(cm) MODEL	Width	Length	Height	Seat width	Seat depth	Seat height	Backrest height	Folding width	Rear wheel INCH	Front wheel INCH	Packaging DIM	Pcs/ctn	Maximum weight capacity KG	NW/GW KGS
CA9671LFH	62	100	91	46	7	49	44.5	25	20"	6"	80x30x75	1	100	12.2/14.2
CA909LH	59	102	88	42	40	49	39	27.5	22"	6"	89x27x72	1	100	11.6
CA965LFH	65	100	83	42	40	47	36	27	22"	8"	89.5x28x84.5	1	100	10.1/12
CA966LEH	61	90	88.5	42	40	47	39	27	18"	6"	79x28x71.5	1	100	10/11.6



• CA9641LH

Aluminum Wheelchair

- 8" Solid wheel, 24" PU wheel
- Double cross bar
- Fixed armrest and footrest
- With both loop brake & hand brake



• CA9654LFH

Aluminum Wheelchair

- Aluminum light weight chair frame
- Foldable backrest
- Fixed armrest & footrest
- With united brake
- Solid castor



• CA9623L

Aluminum Transport Chair

- Easy to fold
- 5" rear castors with pedal lock
- Flip-up armrest



• CA9622L

Aluminum Transport Chair

- 5" solid castor + 8" PU rear wheel
- Flip-up armrest & footrest
- United brake

SPECS(cm) MODEL	Width	Length	Height	Seat width	Seat depth	Seat height	Backrest height	Folding width	Rear wheel (INCH)	Front wheel (INCH)	Packaging DIM	Pcs/ctn	Maximum weight capacity (KG)	NW/GW KGS
CA9641LH	66	102	89	46		48	40		24"	8"	94x28x92	1	100	12.7/15
CA9654LFH	64	102	92	46		51	41.5		24"	8"	101x28x80	1	100	13/15.2
CA9623L	38	73.5	86.5	25		49	34		5"	3"	42x30x61	1	100	6/8
CA9622L	45	84	88	37		45	39.5		8"	5"	75x25x65	1	100	7.1/9.4



• CA978LFH-12"

Deluxe Aluminum Transport Chair

- Extra light weight
- Foldable backrest
- Liquid coated frame
- 8" & 12" wheels
- With both loop brake & hand brake



• CA978LFH-20"

Deluxe Aluminum Transport Chair

- Extra light weight
- Foldable backrest
- Liquid coated frame
- 8" & 20" wheels
- With both loop brake & hand brake



• CA9731LFH

Aluminum Transport Chair

- Powder coated frame
- 8" front solid wheel
- Fixed armrest & detachable footrest
- 12" PU rear wheel
- With united brake
- Foldable backrest



• CA9712LFH

Aluminum Transport Chair

- Fixed armrest & detachable footrest
- Folding backrest
- Loop brake & hand brake

SPECS(cm) MODEL	Width	Length	Height	Seat width	Seat depth	Seat height	Backrest height	Folding width	Rear wheel (INCH)	Front wheel (INCH)	Packaging DIM	Pcs/ctn	Maximum weight capacity (KG)	NW/GW KGS
CA978LFH-12"	56	100	96.5	43	40	50	40	22	12"	6"	64x32x76.5	1	100	10.66/13.24
CA978LFH-20"	62.5	102	88	43	40	46	40	28	20"	6"	74.5x30x76.5	1	100	11.4
CA9731LFH	60	103	94	41	40	50	44	27	12"	8"	66x25x79	1	100	11.11/12.6
CA9712LFH	59	103	94	46	40	50	44	27	8"	8"	64x25x79	1	100	10.5/12.5



Seat width	36cm
Seat depth	43cm
Seat height	48cm

• **CA9866LFH**
Aluminum Light Wheelchair

- Flip up armrest
- Portable package size
- 7" front PU castors & 8" rear PU wheels
- Foldable backrest & bolt down
- Hand brake with parking function

Option!

• Detachable Footrest



Option!



Nylon packing bag



7" front hard PU castors &
8" rear hard PU wheels

• 6" + 12" wheels



SPECS (cm)	Width	Length	Height	Seat width	Seat depth	Seat height	Backrest height	Folding width	Rear wheel INCH	Front wheel INCH	Packaging DIM	Power	Max. load (kg)	NW/GW KGS
CA9866LFH	45	94.5	89	36	37	47.5	35	28	8"	7"	57x29x61.5	1	100	6.5/8.5

VACATION CART



• **CA989LFH-A**
Aluminum Vacation Cart

- Fixed armrest & flip-up footrest
- Easy folding frame
- Loop brake & hand brake
- 7" front castors & 12" rear wheels

Castor Options



• **CA989LFH-B**
Reclining Vacation Cart

- Fixed armrest & flip-up footrest
- Easy folding frame
- Loop brake & hand brake
- 7" front castors & 12" rear wheels

• Electric version



SPECS (cm)	Width	Length	Height	Seat width	Seat depth	Seat height	Backrest height	Folding width	Rear wheel INCH	Front wheel INCH	Packaging DIM	Power	Max. load (kg)	NW/GW KGS
CA989LFH-A	50	101	88	40	40	47	42	27	8"	6"	52x28x75	1	100	8.5/10
CA989LFH-B	64/58	106	97	46/42	40	51	45	38	12"	7"	63x38x82	1	100	12.7/14.5



• **CA9864LQ**
Deluxe Aluminum wheelchair

- Liquid coated frame
- Adjustable armrest
- Swing away footrest
- Height adjustable, quick release rear wheel
- Foldable push handle

65	103	89.5-95.5	45	42	49	45
30	24"	8"	90x30x90	100	NW/GW KGS	18/20



• **CA9833LG**
Light weight Aluminum Reclining Wheelchair

- Reclining high back
- Flip-up, height adjustable PU armrest
- Detachable, adjustable headrest
- Swing away footrest
- 7" & 22" wheels



69	97	115-125	45	42	45	44
41	22"	7"	81x41x73	100	NW/GW KGS	20/22



• **CA9951L**
Deluxe Aluminum Wheelchair

- Deracheble footrest
- PU front wheel & quick release pneumatic rear wheel
- Anti-tippers and carrying wheel
- Angle adjustable footplate
- Flip-up and height adjustable inclined armrest

64	105	90	46	52.5	39	
	24"	8"	83x29x90	100	NW/GW KGS	15.7/18.3



• **CA9834LGC**
Light weight Aluminum Reclining Wheelchair

- Reclining high back
- Flip-up, height adjustable PU armrest
- Detachable, adjustable headrest
- Swing away elevating footrest
- 8" & 24" mag wheels



67	117	129	46	43	52.5	49
33	24"	8"	89x35x95	100	NW/GW KGS	22.3/24.3



• **CA9903LFH**
Aluminum wheelchair

- Anodized shining frame
- Flip-up and detachable armrest
- Swing away footrest
- Loop brake and hand brake

69	102	93	45	40	45	46
33	22"	6"	88x36x73	100	NW/GW KGS	14.5/16.5



• **CA9835LGC**
Light weight Aluminum Reclining Wheelchair

- Reclining high back
- Flip-up, height adjustable PU armrest
- Detachable, adjustable headrest
- Swing away elevating footrest
- 7" & 22" wheels



68	118	133	45	42	49	50
36	22"	7"	88x36x93	100	NW/GW KGS	23.5/27.5

• CA982LGC

Light weight Aluminum Reclining Wheelchair

- Angle adjustable seat and backrest
- Adjustable head holder
- Swing away elevating legrest
- 6" front solid wheel, 16" rear PU wheel
- PU arm pad and legrest pad

49	168	112	35	38	49	49
25	16"	6"	80x27x92	75	19	



• CA984LGC

Light weight Aluminum Reclining Wheelchair

- Angle adjustable seat and backrest
- Adjustable head holder
- Swing away elevating legrest
- 6" front solid wheel, 16" rear PU wheel
- PU arm pad and legrest pad

54	113	103	32-38	35	48.5	42
24	16"	6"	77x40x95	75	22.2/25.7	



• CA9821LG

Light weight Aluminum Reclining Wheelchair

- Reclining high back
- Adjustable head holder
- Detachable armrest
- 6" front solid wheel, 16" rear PU wheel
- Height adjustable footplate

54	97	93-113	32-38	48.5	42	
	16"	6"	84x40x95	75	18.7/21.4	



• CA903-35

Steel Wheelchair(Children)

- Chrome frame
- Fixed armrest and footrest
- 6" castor and 20" rear wheel

Option!
Detachable Footrest



54.5	89	85	35	35	40	40
21	20"	6"	82x22x86	100	12.5	

• CA987L

Aluminum Wheelchair(Children)

- Powder coated aluminum frame
- Flip up armrest & height adjustable
- Fixed footrest
- 4" castor and 20" rear wheel

55	93	87	35	42	37	
29.5	20"	4"	69x33x65	100	13.8/16	



• CA987LFQ

Aluminum Wheelchair(Children)

- Aluminum pediatric wheelchair
- Fixed footrest, height adjustable footplate
- Quick release pneumatic rear wheel
- Adjustable seat size
- Flip-up armrest

50-60	74	87-92	25-35	50-55	33	
	20"	4"	76x39x90	75	14.4/17.4	



Steel Wheelchair Series



Economic



Option!



20", 22", 24" optional

• CA9868 (deluxe) Heavy Duty Steel Wheelchair

- Detachable armrest and footrest
- Extra wide, double crossbar
- Seat width: 24"

79.5	104	89	61	42.5	47.5	39
33	24"	8"	86x34x91	250	20/22	



• CA928B Heavy Duty Steel Wheelchair

- Detachable armrest and footrest
- Extra wide, double crossbar

76	112	90	56	40	50	40
28	24.5"	8"	81x29x94	136	21.44	



16", 18", 20" adjustable

• CA9221 Magic Adjustable Wheelchair

- Steel texture coated frame
- Seat width adjustable in one chair: 16", 18", 20"
- Detachable nylon seat
- Movable armrest and detachable footrest
- 8" solid front casters, 24" rear mag wheels



67	105	88	46	40	50	42
29	24.5"	8"	80x30x94	110	19.5/21.5	

FUNCTIONAL MODEL

• CA9794 Steel Wheelchair

- Steel chrome frame
- Oxford seat & backrest
- Plastic footrest
- 8" castor & 24" solid wheel
- Detachable footrest & flip-up armrest



Reflector



Option!



Luxury



Configuration Option:



Quick-release
Rear wheel



Height Adjustable
Handle



Adjustable Armrest



Hand Brake



Anti-tipper

SPECS(cm) MODEL	Width	Length	Height	Seat width	Seat depth	Seat height	Backrest height	Folding width	Rear wheel INCH	Front wheel INCH	Packaging DIM	Pcs/ctn	Maximum weight capacity(KG)	NW/GW KGS
CA9794Q	64	103	89	46	43	54	35	29	24"	8"	82x32x94	1	100	16.6

BASIC MODEL

• CA902 Steel Wheelchair

- Steel chrome frame
- PVC seat & backrest
- Metal footrest
- 8" castor & 24" solid wheel
- fixed footrest & armrest

Option!


Footrest :

- Aluminum footrest
- Plastic footrest

Seat material :

- PVC(Blue/Black)
- Nylon(Black/Scott Style)

Option!



N4: Plastic Food Table



E: Powder coated
Frame Color: Black, Grey,
Red, Blue



H: Hand Brake



B: Mag Wheel



A: Air Tyre



Z: Bicycle Tyre

SPECS(cm) MODEL	Width	Length	Height	Seat width	Seat depth	Seat height	Backrest height	Folding width	Rear wheel INCH	Front wheel INCH	Packaging DIM	Pcs/ctn	Maximum weight capacity(KG)	NW/GW KGS
CA902	65	104	87	46	40	48	41	21	24"	8"	92x22x89	1	100	16/18



• **CA923** Steel Wheelchair

- Chrome frame
- Detachable armrest and footrest



• **CA931BC** Steel Wheelchair

- Flip up armrest and detachable footrest
- Powder coated frame
- Double crossbar



• **CA912BE** Economy Steel Wheelchair

- Powder-coated frame
- Fixed armrest, detachable footrest



• **CA913** Steel Wheelchair

- Fixed armrest detachable footrest



• **CA910** Steel Wheelchair

- Chrome frame
- Detachable footrest
- Detachable, flip-up armrest
- Foldable backrest



• **CA9042C** Steel Wheelchair

- Powder coated
- Detachable, elevating footrest
- Detachable armrest



• **CA904-51** Extra Wide Steel Wheelchair

- Chrome frame
- 8" & 24" wheels
- Double crossbar
- Fixed armrest & footrest



• **CA9041-43** Steel Wheelchair

- Chromed frame, with IV holder
- 8" castors, 24" air wheels (or PU wheels)
- Good quality PVC seat
- Double crossbar

SPECS(cm) MODEL	Width	Length	Height	Seat width	Backrest height	Folding width	rear wheel INCH	Front wheel INCH	Packaging	Pcs/ctn	Maximum weight (Kg)	NW/GW (Kg)
CA923	64	104	80	46	40	50	24"	8"	72x27x89	1	100	15.5/18.7
CA931BC	64	110	88	46	40	42.5	24"	8"	79x28x89	1	100	21
CA910	60	103	92	43	40	50	24"	8"	81.5x19x76	1	120	16.2
CA9042C	63	104	85	42	44	48	22"	8"	80x29x87	1	120	16.6/18.5

SPECS(cm) MODEL	Width	Length	Height	Seat width	Backrest height	Folding width	rear wheel INCH	Front wheel INCH	Packaging	Pcs/ctn	Maximum weight (Kg)	NW/GW (Kg)
CA912BE	65	106	87	43	40	50	24"	8"	75x25x90	1	100	16.7
CA913	63	94	88	46	40	50	24"	8"	79x25x89	1	100	18.3/20.3
CA904-51	70	106	91	51	40	51	24"	8"	92x26x92	1	100	18.8
CA9041-43	64	103	89	43	40	46	24"	8"	92x28x89	1	100	14.2



• CA9671FH-A Steel Transport Wheelchair

- Powder coted frame
- Flip-up footrest
- 6" & 20" wheels
- Foldable backrest



• CA9671FH-B Steel Transport Wheelchair

- Powder coted frame
- Flip-up footrest
- 6" & 12" wheels
- Foldable backrest



• CA909E Steel Wheelchair

- Powder coated frame
- Double crossbar
- Fixed footrest and armrest



• CA951E Steel Transport Wheelchair

- Powder texture frame
- Detachable footrest
- Fixed armrest
- 8" castors



SPECS(cm) MODEL	Width	Length	Height	Seat width	Seat depth	Seat height	Backrest height	Folding width	Rear wheel INCH	Front wheel INCH	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS
CA9671FH-A	63	100	93	48	36	48	42	27	20"	6"	80x29x75	1	100	11.2/12.7
CA9671FH-B	55	90	89	43	36	48	40	24	12"	6"	77x25x89	1	100	10.5
CA909E	61.5	104	87.5	46	40	50	34	24	24"	8"	92x26x89	1	120	15.65
CA951E	60	93	87.5	41	40	50	50	24	8"	8"	71.5x25x91	1	100	12.7



• CA601 Steel Commode Wheelchair

- Chrome frame
- 6" castor and 22" rear wheel
- fixed armrest and swing away footrest



• CA608 Steel Commode Wheelchair

- Chrome frame
- "U" shape seat
- fixed armrest and footrest



• CA941 Steel Reclining Wheelchair

- Powder coated frame
- Detachable armrest and elevating legrest
- 8" castor and 24" rear wheel



• CA608GC Steel Reclining Commode Wheelchair

- Steel chrome frame
- Detachable armrest and elevating legrest
- "U" shape seat

SPECS(cm) MODEL	Width	Length	Height	Seat width	Seat depth	Seat height	Backrest height	Folding width	Rear wheel INCH	Front wheel INCH	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS
CA601	64	97	86	43	44	54	40	23	22"	6"	76x29x92	1	100	18.5
CA608	61	94	89	43	44	52	40	24	24"	8"	92x28x89	1	100	18.5
CA941	67.5	104	130	43	44	49	45	31	24"	8"	94x32x92	1	100	24.6
CA608GC	63	116	130	46	44	52	45	31	24"	8"	94x33x92	1	100	26.2

Commode Series



• CA6206L Aluminum Reclining Commode Chair

- Aluminum powder coated frame
- Tool free assembly
- PU seat 16"/18", PU armrest & backrest
- Angle adjustable headrest
- 5" solid castors with brake
- Detachable footrest
- 0-30 degree free tilting
- Option: 24" rear wheel, Elevating legrest, Adjustable armrest

Option!

CA6206L-24"



CA6206LC



57	98	106	46	41	46
54	5"	5"	67x61x66	120	17/19



• CA6203L Aluminum Commode Chair

- Aluminum powder coated frame
- PU seat 16"/18", PU armrest & backrest
- Flip up armrest, swing away footrest
- 5" solid castors with brake
- Tool free KD frame
- Option: Elevating legrest, Adjustable armrest

Economic
CA6203LE



CA6203L-24"



55	85	95.5-98	46	40	45.5-48
50.5	5"	5"	70x33x58	120	13.5/15.5

• CA6209L Aluminum Commode Chair

- Aluminum powder coated frame
- PU seat, PU armrest & backrest
- Flip up armrest, swing away footrest
- 5" solid castors with brake
- Strong cross bar foldable frame
- Option: 24" rear wheel, Elevating legrest, Adjustable armrest

CA6209L-24"



55	85	94-102	46	40	45-48
48-55.5	5"	5"	70x33x58	120	13.8/15.8

• CA6210L Aluminum Children Commode Chair

- Aluminum powder coated frame
- PU seat, PU armrest & backrest
- Flip up armrest, swing away footrest
- 5" solid castors with brake
- Option: 24" rear wheel, Elevating legrest, Adjustable armrest

CA6210L-24"



44	90	78-84	36	35.5	34.5-37
37-45	3"	3"	73x39.5x59	100	9.2



20", 22", 24" optional

• CA6208L

Aluminum Commode Chair(Heavy Duty)

- Aluminum powder coated frame
- PU seat
- Flip up armrest, swing away footrest
- 5" solid castors with brake
- Tool free KD frame
- Option: Elevating legrest, Adjustable armrest

CA6208L-24"



79	102	96	61	41	42
51	5"	5"	84.5x62x42.5	250	18.5/21



20", 22", 24" optional

• CA6205L

Aluminum Commode Chair(Heavy Duty)

- Foldable aluminum powder coated frame
- PU seat, flip up armrest, swing away footrest
- 5" front solid castor & 24" rear wheel
- Option: 5" rear wheel, Elevating legrest, Adjustable armrest

79	105	93	61	41	39
51	24"	5"	84x36x88.5	250	19.6/22.1



• CA6204L

Aluminum Commode Chair

- Foldable aluminum powder coated frame
- PU seat, PU armrest & backrest
- Flip up armrest, swing away footrest
- 5" solid castors with brake
- Option: 24" rear wheel, Elevating legrest, Adjustable armrest

55	89	93	46	40	45-48
51	5"	5"	70x27.5x74	120	15.5/17.5



Option!



• CA614L

Aluminum Commode Chair

- Folding footrest
- Soft PVC seat



• CA612

Steel Commode Chair

- Powder coated frame
- Fixed armrest and folding footrest



• CA6992L

Aluminum Commode Chair

- Alu powder coated frame
- PU Seat, net fabric backrest

16", 18", 20" optional
CA697S Mag wheel



• CA697S

Stainless Steel Commode Chair

- Stainless Steel frame
- PU/PVC Seat
- Flip up armrest, Swing away footrest



• CA611

Steel Commode Chair

- Powder coated frame
- Detachable armrest & footrest



• CA613

Steel Commode Chair

- Steel chromed frame
- Flip up armrest and swing away footrest

CA613(Luxury)



CA613L
Aluminum



SPECS(cm) MODEL	Width	Length	Height	Seat width	Seat depth	Backrest height	Seat height	Rear wheel	Front wheel	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS
CA614L	56	82.5	90	45	42	36	53	4"	4"	49x24x75	1	100	8.2/9.2
CA612	54	74	83	44	44	33	45	4"	4"	52x26x66	1	100	12.3/13.8
CA6992L	55	61	97	44	42	40	55	5"	5"	98x53x58	1	100	8.4/9.4
CA697S-5"	57.5	111	96.5	44	44	44.5	51	5"	5"	54x52.5x56	1	100	12.3/13.8
CA611	55	87	93	44	44	37	50	4"	4"	54x53x53	1	100	10.8/12
CA613	57.5	87.5	98	44	44	44.5	55	4"	4"	54x53x57	1	100	12.3/13.8



• CA693

Steel Commode Chair

- Foldable frame
- Comfortable PE seat



• CA691L

Aluminum Commode Chair

- Soft PVC seat
- Easy folding
- Good stability



• CA6913L

Aluminum Commode Chair

- Soft PVC seat
- Easy folding, with flip-up footrest
- Universal front castors



• CA667S

Steel Children Commode Chair

- Small size
- Easy drop armrest



• CA667

Steel Commode Chair

- Easy drop armrest
- Height adjustable



• CA663

Steel Commode Chair

- Fixed frame
- Padded seat



• CA6997

Steel Commode Chair

- Powder coated frame
- PVC seat
- Height adjustable



• CA6997-KD

Steel Commode Chair

- KD frame
- PVC seat
- Height adjustable



• CA6671

Steel Commode Chair

- Soft seat and backrest
- Easy drop armrest



• CA620L

Aluminum Commode Chair

- Detachable armrest
- PVC seat
- Height adjustable

SPECS(cm) MODEL	Width	Length	Height	Seat width	Seat depth	Backrest height	Seat height	Rear wheel	Front wheel	Packaging DIM	Pcs/ctn	Maximum weight (Kg)	NW/GW KGS
CA683	69	48.5	56-64.5	45.5	46	28	31-40.5			74x33x51	1	100	5.8/7.1
CA691L	56	57.5	83-89.5	45	41	36	47-55			58x23x89	1	100	4.88
CA6913L	62.5	86	94.5	46	41	35	48	8"	4"	94x24x86	1	100	7.9/9.5
CA663	54	44	85	44	44	34	47			50x22.5x68	1	100	7.9/9.7
CA6997	59	47	91-91	46	43	42	43-53			59x51x59	2	100	15.6
CA6997-KD	59	47	86-96	46	43	39	49-59			64x49x49	2	100	8.1/18.6

SPECS(cm) MODEL	Width	Length	Height	Seat width	Seat depth	Backrest height	Seat height	Rear wheel	Front wheel	Packaging DIM	Pcs/ctn	Maximum weight (Kg)	NW/GW KGS
CA667S	34	42	51-58.5	28	37	23	29-36.5			46x38x30	1	100	4.9/5.6
CA667	57	51	62-72	48	40	28.5	37-47			56x40x36	1	100	6.2/8
CA6671	56	50	79-91	47	40	28.5	54-64			58x51x45	1	100	
CA620L	51	44	86-96		47	35	46-56			62x52x88	2	100	10.1/12



• CA618

Steel Commode Chair

- Folding frame
- Height adjustable

• CA618A

Steel Commode Chair

- Powder coated frame
- Height adjustable

• CA618-KD

Steel Commode Chair

- KD frame
- Height adjustable



• CA651L

Aluminum Commode Chair

- Fixed anodized frame
- Height adjustable



• CA653

Extra Wide Steel Commode Chair

- Fixed powder coated frame
- Height adjustable

SPECS(cm) MODEL	Width	Length	Height	Seat width	Seat depth	Backrest height	Seat height	Rear wheel	Front wheel	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS
CA618	56	54	64-80	48	41	22	42-57			61x21x71	1	100	6.28/8.38
CA618A	58	52	64-80	48	42	22	42-57			58x15x71	1	100	6.28/8.38
CA618-KD	56	50	60-75	34	40	37	40-55			55x14.5x36	1	100	6.1/6.5
CA651L	65	45	60-70	48	35	20	41-51			73x68x70	4	100	3.2
CA653	79	55	64-77	62	44	17	46-58.5			84x58x66.5	2	100	6.8/15.2



• CA616

Steel Commode Chair

- Steel chrome frame
- Easy folding

• CA616L

Aluminum Commode Chair

- Easy folding
- PE seat

• CA6642

Steel Commode Frame

- Powder coated frame
- Height adjustable



• CA615

Steel Commode Chair

- Steel chrome frame
- With 3" wheels



• CA615L

Aluminum Commode Chair

- Easy folding
- 3" wheels



• CA6511L

Aluminum Commode Chair

- Height adjustable

SPECS(cm) MODEL	Width	Length	Height	Seat width	Seat depth	Backrest height	Seat height	Rear wheel	Front wheel	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS
CA616	53	52	73.5-83.5	45	40	30	46-56			50x19x77	1	100	6.5
CA616L	53	51	76-86	45	40	30	43-53			50x21x76	1	100	3.6
CA6642	54	49.5	69-86	48	37		50-65.5			58x58x74.5	4	100	4.5/19.8
CA615	54	52	74-84	45	40	30	43-45	3"	3"	50x19x77	1	100	6.76
CA615L	54	52	74-84	45	40	30	47-57	3"	3"	50x19x77	1	100	5.2
CA6511L	54	43	62-72	44	41		40-50			45x18x63	1	100	2.6/3.6



• CA697

Steel Commode Chair

• CA697A

Steel Commode Chair

• CA698

Steel Commode Chair



• CA699

Steel Commode Chair



• CA699W

Steel Commode Chair

SPECS(cm) MODEL	Width	Length	Height	Seat width	Seat depth	Backrest height	Seat height	Rear wheel	Front wheel	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS
CA697	38	40	45	38	40		45			66x20x41	2	100	2.4
CA697A	38	40	45	38	40		45			66x21x41	2	100	2.5
CA698	38	40	39.5	38	40		39.5			78x30x40	6	100	1.5
CA699	54	50	78	43	40	39	36			79x43x55	4	100	4.16
CA699W	60	59	82	48	40	39	49			88x30x60	2	100	6.4



• CA673L

Aluminum Toilet Safety Frame

- Height and width adjustable
- Soft armrest

Width	Length	Height
54.5	50	67-77
		NW/GW KGS (Kg)
58x38x46CM/5PCS	100	1.27



• CA6731L-KD

Aluminum Toilet Safety Frame

- KD frame
- Height and width adjustable

Width	Length	Height
54.5	50	67-77
		NW/GW KGS (Kg)
58x38x46CM/5PCS	100	1.27



• CA669

Steel Toilet Frame

Width	Length	Height
60	54	69-89.5
		NW/GW KGS (Kg)
72x14x83CM/1PC	100	4.6



• CA670

Steel Toilet Safety Frame

- Height and width adjustable
- Tool free assembly

Width	Length	Height
60	49.5	68-81
		NW/GW KGS (Kg)
55x14x72CM/1PC	100	5/6.8



• CA6701

Steel Toilet Safety Frame

- Height and width adjustable
- Tool free assembly

Width	Length	Height
56-61	49	70-82.5
		NW/GW KGS (Kg)
53x14x72CM/1PC	100	5.4



• CA677

Steel Toilet Safety Frame

Width	Length	Height
78	48.5	66
		NW/GW KGS (Kg)
70x42x12.5CM/1PC	100	5.4



• CA6129-D

Electrical Transfer Chair

- Steel powder coated frame
- Electric elevating
- Removable battery for easy charging
- Dual lock for extra safety
- 2 universal wheels and 2 lock-direction wheels
- Strong foot pedal to prevent from leaning forward



65	83	83.5-103.5	42.5	39.5	34	41-60.5
		Push rod				NW/GW KGS (kg)
3"	5"	24VCD/5A/120W	Lithium battery 2600mAh	90.5x59.5x33.5	120	28.4/32.1

• CA6128-A

Manual Transfer Chair

- Steel powder coated frame
- Manual elevating, with push handle
- Dual lock for extra safety
- 2 universal wheels and 2 lock-direction wheels
- Strong foot pedal to prevent from leaning forward
- Optional: desk



63.5	81	83-109	40	36.5	38.5	
						NW/GW KGS (kg)
40-66	3"	5"	90.5x59.5x32.5	120	28.2/31	

• CA6129-A

Manual Transfer Chair

- Steel powder coated frame
- Foot pedal easier elevating
- Dual lock for extra safety
- 2 universal wheels and 2 lock-direction wheels
- Strong foot pedal to prevent from leaning forward

63	79.3	83-103	42.8	35.7	34	
						NW/GW KGS (kg)
42-62	3"	5"	90.5x59.5x34.5	120	32.4/35.4	



• CA6101

Electric Lift Toilet Chair

- Steel powder coated frame
- Electric elevating
- Removable battery for easy charging
- Single push rod

62	73	69	48	41.5	20	46-59
Push rod						NW/GW KGS (kg)
24VCD/5A/120W	Lithium battery 3200mAh		74.5x58.5x51	120	20.4/23.4	



• CA6102

Electric Lift Toilet Chair

- Steel powder coated frame
- Electric elevating
- Removable battery for easy charging
- Dual push rod

56	66	68	47	41.5	20	46-63.5
Push rod						NW/GW KGS (kg)
24VCD/5A/120W	Lithium battery 3200mAh		69x60x56	120	19.6/22.8	



• CA671

Raised Toilet Seat

Width	Length	Height
45	53	33
		
52x19x45/1pc	100	2.44



• CA6712

Raised Toilet Seat

Width	Length	Height
30	52	35
		
52x19x45.5/1pc	100	2.3



• CA674 (Soft seat)

Raised Toilet Seat

Width	Length	Height
36	39.5	15
		
41x16x37/1pc	150	0.95/1.45

CA6741
Soft Seat



• CA6714

Raised Toilet Seat

Width	Length	Height
39.6	45.8	10.9
		
50x41x21/1pc	120	5/6



• CA672

Raised Toilet Seat

Width	Length	Height
42	44	18
		
43x19x45/1pc	100	1.78



• CA6743-2\"/>

Raised Toilet Seat

Size	Width	Length	Height			NW/GW KGS	
2"	37	40	18			100	
4"	37	40	21			100	
6"	37	40	24			100	



• CA6715

Raised Toilet Seat

Size	Width	Length	Height			NW/GW KGS	
2"	44.5	56	32	48x19x56.5/1pc	136	2.3/2.8	
4"	48	56	34.8	47x22x55/1pc	136	2.5/3	



• CA6716

Raised Toilet Seat

Size	Width	Length	Seat Height			NW/GW KGS (IN)
2"	35.9	40	11.3	37x16.5x41.5/1pc	100	1.35/1.8
4"	35.9	40	14.9	37x19x41.5/1pc	100	1.6/2.1
6"	35.9	40	16.8	37x22.5x41.5/1pc	100	1.9/2.4

Option!



• CA674-2\"/>

Raised Toilet Seat

Size	Width	Length	Height			NW/GW KGS	
2"	36	39	17	39x16x44/1pc	100	1.2	
4"	36	39	20	39x16x44/1pc	100	1.25	
6"	36	39	23	39x21x44/1pc	100	1.5	



• CA6741-2\"/>

Raised Toilet Seat

Size	Width	Length	Height	 DIM	 KGS	NW/GW KGS	 KGS
2"	39	40	16	42x13.5x38/1pc	100	1.3	
4"	39	40	18.5	42x16.5x38/1pc	100	1.4	
6"	39	40	21	42x18.5x38/1pc	100	1.6	



• CA6713

Raised Toilet Seat

- 3 size in 1 (2\"/>
- PU armrest

Width	Length	Height
51.4	47	37.05
		
47x44x27/1pc	136	3.8/4.3



• CA6717

Raised Toilet Seat

- With height adjustable legs
- With armrest

Width	Length	Height
41.5	52	65.5-75.5
		
53x20x45/1pc	136	3.1/3.8



Bathroom
Safety
Series



• CA3525L

Aluminum shower chair

- PE seat & backrest
- Tool free assembling
- Height adjustable
- with inner box
- Optional: blue seat & backrest

59	50	82.5-92.5	40	34
37	45.5-55.5	50x38x28/1pc	100	6.8/7.5



• CA3521L-KD

Aluminum shower chair

- PE seat & backrest
- Tool free assembling
- Height adjustable
- with inner box
- Optional: blue seat & backrest

53.5	45	73-86	40	33
38	40-53	46.5x36.5x19.5/1pc	100	3.45



Option!



• CA3556L

Aluminum Shower Chair

- Height adjustable
- PP seat (heavy duty)

57	48	82.5-92	72	
48-57.4	64x47x15/1pc	136	5/6.17	

Option!



CA3556L
no backrest



• CA364L

Commode Shower Chair

- Foldable aluminum frame
- With armrest & footrest

69	57	85	48	46
35	50	52x29x105/1pc	100	6.1/7.8

Option!





Size	12"	16"	18"	24"	DIM	IKG	NW/GW KGS (kg)
12"	6.4	37	9.5	39x24x24/12pcs		100	0.45
16"	6.4	52	9.5	55x24x24/12pcs		100	0.7
24"	6.4	67.5	9.5	70x24x24/12pcs		100	0.8
32"	6.4	88	9.5	90x24x24/12pcs		100	0.9

Size	12"	16"	18"	24"	DIM	IKG	NW/GW KGS (kg)
12"	8	38	8.5	41x26x30/10pcs		100	0.35
18"	8	53	8.5	56x26x30/10pcs		100	0.5
24"	8	64.5	8.5	71x26x30/10pcs		100	0.6



Size						NW/GW KGS	
12"		38	8.5	39.5x29.5x19.5/10pcs	100	2.8/3.4	
16"		48	8.5	49.5x29.5x19.5/10pcs	100	3.8/4.5	
18"		56	8.5	54x29.5x19.5/10pcs	100	4.5/5.3	
20"		59	8.5	59.5x29.5x19.5/10pcs	100	4.8/5.5	
24"		69	8.5	69.5x29.5x19.5/10pcs	100	5.4/6.3	



Size	700*400	600*600	DIM	IKG	NW/GW KGS (kg)
40	70	8.5	79x27x47/10pcs	100	17/19
60	60	8.5	79x27x47/10pcs	100	18/20



Size	12"	16"	18"	24"	DIM	IKG	NW/GW KGS (kg)
12"	38.5	78	8.5	39.5x47.5x53/30pcs		100	23/25
16"	48.6	78	8.5	49.5x47.5x53/30pcs		100	25/27
18"	53.7	78	8.5	59.5x47.5x53/30pcs		100	26/28
24"	68.9	78	8.5	69.5x47.5x53/30pcs		100	28/30



Size	12"	16"	18"	24"	DIM	IKG	NW/GW KGS (kg)
12"	38.5	78	8.5	39.5x47.5x53/30pcs		100	23/25
16"	48.6	78	8.5	49.5x47.5x53/30pcs		100	25/27
18"	53.7	78	8.5	59.5x47.5x53/30pcs		100	26/28
24"	68.9	78	8.5	69.5x47.5x53/30pcs		100	28/30



Size	60	8.5	70	DIM	IKG	NW/GW KGS (kg)
70x45.5x56/10pcs					100	28/30



		
60	70	
		NW/GW KGS 
76x45.5x56/10pcs	100	29/32



Size	14.5	53	12.5	DIM	IKG	NW/GW KGS (kg)
56x35x58/12pcs					100	



Size	57	57	10.3	DIM	IKG	NW/GW KGS (kg)
84x65x26/20pcs					100	0.97



Size	12.6	75.5	30	DIM	IKG	NW/GW KGS (kg)
60x33x80/4pcs					100	2.96



Size	60	DIM	IKG	NW/GW KGS (kg)
64.5x41.5x46/5pcs			100	27/29



Size	60	DIM	IKG	NW/GW KGS (kg)
70x32x34/8pcs			100	22/25



Size	40	40.5	16.2	/	/	DIM	IKG	NW/GW KGS (kg)
/	/	/	54.5x41.5x46/5pcs				100	22/25



Size	31.5	38	55.1	/	/	DIM	IKG	NW/GW KGS (kg)
/	/	/	61x42.5x45.5/4pcs				120	22/24



Size	37.5	35	47	/	/	DIM	IKG	NW/GW KGS (kg)
/	/	/	38.5x36.5x46/1pc				100	4.5/6



• CA3361L

Aluminum Bathtub Seat

73-78	23	18	41	23
/	/	85x26x41/5pcs	100	9/10.2

• CA336L

Aluminum Bathtub Seat

80-90	27	18	42	23
/	/	43x11x25/1pc	100	1.5/2.5

• CA3362U

Stainless Steel Bathtub Seat

84-130	36	41	41	28
41	33	75x44x29/2pcs	100	7.2/8.2



• CA330

Plastic Bath Board

32	71	19	/	/
/	/	73x8x33/1pc	100	2.5

• CA330(Big size)

Plastic Bath Board

35	76	16	76	/
/	/	36x4.5x77/1pc	100	

• CA331

Steel Bathtub Bar

15	20	50
43x34x53.5/4pcs	100	2.8



• CA337L

Aluminum Foot Stool

43	27	21-26	42	23
/	/	42x10x25/1pc	100	1.5

• CA3372L

Aluminum Step Stool

45	49	30	41	22
/	/	67x32x51.5/4pcs	100	2.52

• CA3373

Steel Step Stool

45.5	48	34.5	/	/
/	16.8	54x45x48/2pcs	100	7.2/8.2



• CA3374L

Aluminum Foot Stool

34	38	24.5	28	35
/	/	40x38x26/1pc	100	1.7/2.2

• CA3741

Wall Mounted Folding Shower Seat

- White powder coating frame
- Flip-up seat when not in use
- Securely mounted to the wall

42	41	50-52	45	37
/	/	59x22x51/2pcs	100	4.9/10.7

• CA3742L

Aluminum Wall Mounted Folding Shower Seat

- White powder coating frame
- Flip-up seat when not in use
- Securely mounted to the wall

49	49	39-54	49	40
/	39-54	61x51.5x48/4pcs	100	2.77



• CA343L

Aluminum Shower Chair

- PP seat

32	32	35-53	/	/
/	/	50x38x26/6pcs	100	1.22

• CA3432L

Aluminum Shower Chair

- PE seat

33	35	38-55	32	32
/	/	36x15x46/2pcs	100	1.54

• CA343LW

Aluminum Shower Chair

- PP seat (heavy duty)

32	32	35-53	/	/
/	/	50x38x26/6pcs	100	1.5



• CA342L

Aluminum Shower Chair

49	42.5	39-57	49	29
/	39-49	59x44x49/4pcs	100	1.8

• CA3402L

Aluminum Shower Chair

41	49	37-55	49	29
/	37-55	59x44x49/4pcs	100	1.75

• CA342L-KD

Aluminum Shower Chair

- KD frame

49	40	42-55	49	30
/	38-51	51x35x19.5/1pc	100	2.58



• CA350L

Aluminum Shower Chair

49	45.5	69-79	49	29
34	35-45	60x36x43/4pcs	100	3.1

• CA351L

Aluminum Shower Chair

50	49	70-87.5	49	29
34	35-53	64x52x52/4pcs	100	2.9

• CA3511L-KD

Aluminum Shower Chair

49	45	75-88	49	30
38	42-55	51x35x20/1pc	100	2.58



• CA3501L

Deluxe Alu Shower Chair

49	46	70-87.5	49	29
34	35-53	60x36x43/4pcs	100	3.2

• CA354L

Fixed backrest
Aluminum Shower Chair

49	46	70-87.5	49	29
35	35-53	73x36x49/5pcs	100	3.1

• CA351LS

Aluminum Shower Chair

		60-70	38.7	37.5
	30-40	53x53x40/4pcs	100	4.5/5.6



• CA3522L2

Aluminum Shower Chair

44-49	49.4-55	35-52.5	50	32
/	34-51.5	52x36x66.5/4pcs	100	2.78



• CA3522L

U shape Shower Chair

49	48	69.5-87	48.5	33
55	36-54	71x36x66/5pcs	100	2.78



• CA3553L

Aluminum shower chair

51	41	73-83	40	37
41	34-44	59x49x75/2pcs	100	3.7



• CA3552L

Aluminum shower chair

56.5	43	56-68	40	33
/	41-53	52x47x44/2pcs	100	2.8



• CA355L

Aluminum shower chair

51	44	73-85	40	33
33	41-53	56x52x45/2pcs	100	3.2/7.4



• CA3555L

Aluminum shower chair

56.5	49	72-84	40	33
31	41-53	40x13.5x63/1pc	100	3.2



• CA341

Steel Folding Shower Bench

49	38	52	49	30
/	39-48	73x21x53/2pcs	100	3.1



• CA347L

Alu Folding Shower Bench

57	42.5	42.5-46	49.5	31
/	42.5-46	57x10x40/1pc	100	2.7



• CA342LW-KD

Aluminum Shower Chair

49	40	43-56	49	30
/	40-53	51x35x22/1pc	120	2.77



• CA351LW-KD

Aluminum Shower Chair

49	45	75-88	49.5	30
38	42-55	51x35x24.8/1pc	120	3.12/3.72



• CA3513L

Aluminum Shower Chair

55	49	71-84	49	30
36	35-49	64x52x52/4pcs	136	3.4



• CA355LW-KD

Aluminum shower chair

51	60	69.6-82.3	40	33
28	41.6-54.5	45.5x21x36.5/1pc	136	



• CA3431L

Rotating Alu Shower Chair

- Height adjustable
- PP seat

34	34	38-52	32	32
/	/	41x8x37/1pc	100	1.67/2.3



• CA345L

Rotating Alu Shower Chair

- PP hard seat
- Tool free assembling
- Height adjustable

36	36	41-53	36	36
/	41-53	39.5x10.5x40/1pc	100	2.8



• CA345

Rotating Plastic Shower Chair

- PP hard seat
- Tool free assembling
- Height adjustable

36	36	41-53	36	36
/	41-53	39.5x10.5x40/1pc	100	2.8



• CA356

Steel Shower Chair

- Powder coated frame
- Height adjustable

50	51	81-91	40	37
37	49-59	85x55x56/2pcs	100	



• CA3563L

Alu Shower Chair

- Aluminum frame
- KD frame
- Adjustable seat height

55	48	77-90	40	36
32	43-56	56x56x55/2pcs	100	3.29



• CA3563L-KD

Alu Shower Chair

- Aluminum frame
- KD frame
- Adjustable seat height

57	48	73-88	44	43
34	42-57	55x20x47/1pc	100	3.2/3.9



• CA3474L

Plastic Shower Chair

- ABS legs, commode cover & shelf
- Tool free assembly
- PP seat & backrest

54	45	59-63	49	30
25	36-40	50x19x49/1pc	100	3.0/3.8



• CA3641L

Aluminum Shower Chair

- Height adjustable
- PE seat

49	50.8	67-74	40	34
38	33-40	79x23.5x52.5/4pcs	100	4.9/5.4



• CA3451

Plastic Shower Chair

- ABS legs, commode cover & shelf
- Tool free assembly
- PP seat & backrest

54	56	76-88	/	36
38	39-51	56x23.5x45/1pc	100	4.6/5.4



• CA357U

Bathtub Chair

- Stainless steel frame
- Rotate seat

73	52	52	50	/
37	/	74.5x56x38.5/2pcs	100	4.4/10.6



• CA3573U

Bathtub Chair

- Stainless steel frame
- Rotate seat

41	51	76-86	40	37
37	39-49	70x56x41.5/2pcs	100	4.7



• CA3573U-3

Bathtub Chair

- Stainless steel frame
- Rotate seat

46	56	83-93	41	37
37	46-56	56x55x41.5/1pc	100	4.3/5.5



• CA3631L

Alu Transfer Bench

- Height adjustable
- Padded seat

64	51	84-94	58	42
38	46-56	80x52x56/2pcs	100	6.5



• CA363L

Alu Transfer Bench

- Height adjustable
- Padded seat

67.5	48.5	83.5-93.5	62	41
39	46-56	72x52x86/2pcs	100	5.72



• CA3602L

Alu Transfer Bench

- Detachable armrest
- Suction cup rubber tips

64	53	84-94	48	41
39	46-56	59x55x50.5/2pcs	200	4.8



• CA3403L

Alu Shower Chair

- PE seat
- Optional: armrest

47-49.5	39-40.5	67-77	55	34
/	49-59	55.5x44.7x12.8/1pc	100	3.2/4.0



• CA3558L

Alu Shower Chair

- PE seat & back
- Optional: armrest

47-49.5	39-40.5	84-94	55	34
35	49-59	55.5x44.7x14.7/1pc	100	4.2/5.0



• CA360L

Alu Transfer Bench

- Fixed armrest
- Suction cup rubber tips

77	53	81-91	70	41
39	43-53	80x22x45/2pcs	100	4.68/10.36



• CA361L-KD

Alu Transfer Bench

- Detachable armrest
- Suction cup rubber tips

78.7-96.5				
79.6	45-55		200	



• CA362L

Alu Transfer Bench

- Fixed armrest
- Suction cup rubber tips

81	57.5	84.5-94.5	70	41
39	46-56	81x48x46/2pcs	100	4.4



• CA3561L

Alu Shower Chair

- Alu powder coated frame
- PU seat & backrest

49	55	72-82	41	39
36	38-48	55x45x83/4pcs	100	4



• CA358L

Alu Shower Chair

- Powder coated frame
- Fixed armrest

45	55	80-90	50	41
/	43-53	55x41x78/2pcs	100	4.5/5.6

Walker Series



• CA8117LG-44

Aluminum Walker

• 5" front & 4" rear castor

74	62	77-90	
DIM	(Kg)	NW/GW KGS (Kg)	
71.5x30x82/4pcs	100	16.4/18	

Option!

Front legs



Rear legs



Tips Parts



• CA810L-4

Aluminum Walker

47	10	50	79-89
DIM	(Kg)	NW/GW KGS (Kg)	
60x34x89/2pcs	100	7/8.7	



• CA810LD-5

Aluminum Walker

47	10	50	79-89
DIM	(Kg)	NW/GW KGS (Kg)	
60x34x89/2pcs	100	7.2/8.9	



• CA8112L

Transfer Walker

54	51	78-93	
DIM	(Kg)	NW/GW KGS (Kg)	
53x17x69/1pc	100	4.87	



• CA875

Steel Walker

62	10	51	74-90
DIM	(Kg)	NW/GW KGS (Kg)	
54x16x70/1pc	100	2.4/4.0	



• CA8753L

Aluminum Walker

54	20	54.6	75-86
DIM	(Kg)	NW/GW KGS (Kg)	
61x21x72/1pc	100	5.6/6.43	



• CA827XT (standard base)
• CA8272XT (big base)
Steel Moving Walker

64	/	73	110-135
DIM	(Kg)	NW/GW	KGS (Kg)
75x22.5x89/1pc	100	11.2	



• CA8273
Steel Moving Walker

64	/	73	100-125
DIM	(Kg)	NW/GW	KGS (Kg)
75x22.5x89/1pc	100	15.4	



• CA827XTW-KD
Steel Moving Walker

64	/	86	111.6-132
DIM	(Kg)	NW/GW	KGS (Kg)
83x26.5x60/1pc	100	12	



• CA8221
Steel Walker

Leg width	Arm width		
64-70	53-76	65	71-110
DIM	(Kg)	NW/GW	KGS (Kg)
59x32x71/1pc	120	18	



• CA8242L
Aluminum Fixed Walker

63	22	61	83-90.5
DIM	(Kg)	NW/GW	KGS (Kg)
68x44x86/4pcs	100	1.9	



• CA8247L
Aluminum Fixed Walker

64	/	45	76-91
DIM	(Kg)	NW/GW	KGS (Kg)
80x45x25/5pcs	100	1.695	



• CA8281
Steel Moving Walker

52.5	/	64	104-131
DIM	(Kg)	NW/GW	KGS (Kg)
base: 71.5x10.5x88/1pc upper: 53x28x27/4prs seat: 54x21x43/4pcs	100	7.5/9.5 2.5/6 2/5	



• CA8282
Steel Moving Walker

63.5	/	64	116.5-148
DIM	(Kg)	NW/GW	KGS (Kg)
base: 75x16x88/1pc upper: 67x12x33/4prs seat: 54x21x43/4pcs	100	9.2/11.5 1.2/4 2/5	



• CA8283
Steel Moving Walker

52.5	/	64	104-131
DIM	(Kg)	NW/GW	KGS (Kg)
base: 74x13x88/1pc upper: 67.5x45.5x18/1pc seat: 54x21x43/4pcs	100	8.9/11 3.8/5 2/5	



• CA822
Steel Folding Walker

45	/	74	110-155
DIM	(Kg)	NW/GW	KGS (Kg)
74x15x85/1pc	100	11.9/13.6	



• CA819LL/M/S
Aluminum Fixed Walker

Size						
LL	45	38	85-95	96x68x35/10pcs	100	1.6
LM	44	38	75-85	86x68x35/10pcs	100	1.52
LS	43	38	65-75	76x68x35/10pcs	100	1.49
	DIM	(Kg)	NW/GW	KGS (Kg)		



• CA824L-4
Aluminum Fixed Walker

68	/	65	84-92
DIM	(Kg)	NW/GW	KGS (Kg)
96x68x38/10pcs	100	2	



• CA8114LG-44

Aluminum Fixed Walker

67	10	56	77-87
DIM	(kg)	NW/GW	KGS (kg)
66.5x36x81/4pcs	120	3.5	

• CA818L

Aluminum Walker - PU paddle

52	53-76	65	93-110
DIM	(kg)	NW/GW	KGS (kg)
59x12x88/1pc	100	4	

• CA8118LE

Aluminum Walker - PU paddle

60	16	52	106-121
DIM	(kg)	NW/GW	KGS (kg)
54x15x81/1pc	135	4.15/5	



• CA8243LS

Aluminum Walker

59	/	52	45-55
DIM	(kg)	NW/GW	KGS (kg)
66x18x65/2pcs	100	6/6.9	

• CA8243LM

Aluminum Walker

71	/	54-64	
DIM	(kg)	NW/GW	KGS (kg)
68x29x59/2pcs	100	6.6/7.9	

• CA8243LL

Aluminum Walker

72	/	85	80-100
DIM	(kg)	NW/GW	KGS (kg)
76x19x96/2pcs	100	9.4/11.2	



• CA812LXS

Walker

• 4" castors

55	10	42	48.5-58.5
DIM	(kg)	NW/GW	KGS (kg)
51x16x52/2pcs	100	3.6/4.6	

• CA821LS

Walker

56	10	43	62-75
DIM	(kg)	NW/GW	KGS (kg)
57x27x70/4pcs	100	2.5	

• CA812LMG

Aluminum Walker

58	10	45	70-83
DIM	(kg)	NW/GW	KGS (kg)
57.5x27x76/4pcs	100	2.1	



• CA8244L-3

Walker

35	/	56	41-51
DIM	(kg)	NW/GW	KGS (kg)
59x30x62/2pcs	100	5.2/6.3	

• CA8241L

Walker

62	/	39	51-61
DIM	(kg)	NW/GW	KGS (kg)
52.5x22x63/2pcs	100	2.9/3.9	

• CA8246L

Walker

34	/	35	75-82
DIM	(kg)	NW/GW	KGS (kg)
43x14.5x76.5/2pcs	100	3.2/4	



• CA812L
Alu Reciprocating Walker

52	10	48	76-93.5
DIM	(Kg)	NW/GW KGS	(Kg)
55x27x80/4pcs	100	2.2	



• CA811L
Alu Reciprocating Walker

52	10	46	76-93.5
DIM	(Kg)	NW/GW KGS	(Kg)
55x27x80/4pcs	100	2.4	



• CA812L-C
Alu Reciprocating Walker

• Bronze frame

52	10	46	76-93.5
DIM	(Kg)	NW/GW KGS	(Kg)
55x27x80/4pcs	100	2.2	



• CA821L
Alu Two Button Walker

58	10	47	77.5-95
DIM	(Kg)	NW/GW KGS	(Kg)
57x27x80/4pcs	100	2.62	



• CA821LW
Alu Two Button Walker

• Extra wide

70	11	56	85-102.5
DIM	(Kg)	NW/GW KGS	(Kg)
62x27x80/4pcs	220	2.9	



• CA821L-KD
Walker

56-57.5	10	58-59.5	80.5-98.5
DIM	(Kg)	NW/GW KGS	(Kg)
53x13x47/1pc	100	2.6	



• CA812LG
Aluminum Walker

60	10	46	76-93.5
DIM	(Kg)	NW/GW KGS	(Kg)
57.5x27x80/4pcs	100	2.2	



• CA811LG
Aluminum Walker

58	10	46	76-93.5
DIM	(Kg)	NW/GW KGS	(Kg)
61x27x80/4pcs	100	2.4	



• CA811LG-5
Aluminum Walker

60	10	51	77.5-95
DIM	(Kg)	NW/GW KGS	(Kg)
57x27x83/4pcs	100	2.8	



• CA821LG-5
Alu Two Button Walker

63	10	56	74-92
DIM	(Kg)	NW/GW KGS	(Kg)
61x27x83/4pcs	100	2.3/10.7	



• CA8211LW-55
Alu Two Button Walker

• Extra wide

75	10	54	85-111
DIM	(Kg)	NW/GW KGS	(Kg)
80x41x89/4pcs	100		



• CA821LH-5
Alu Two Button Walker

54-58	13	63.5-65	85-103
DIM	(Kg)	NW/GW KGS	(Kg)
65x19x89/2pcs	100		



• **CA816L**
Aluminum Step Walker

60.5	10	51	72-89.5
DIM	(kg)	NW/GW KGS (kg)	(kg)
58x27x76/4pcs	100	2.3/10.7	



• **CA816LG-5**
Aluminum Step Walker

63	10	53	72-92
DIM	(kg)	NW/GW KGS (kg)	(kg)
57.5x27x80/4pcs	100	2.3/10.7	



• **CA828L**
Aluminum Step Walker

64	10	49	82-100
DIM	(kg)	NW/GW KGS (kg)	(kg)
57x27x80/4pcs	100	2.5	



• **CA816LG-55**
Walker

63	10	57	80-90
DIM	(kg)	NW/GW KGS (kg)	(kg)
68x27x84/4pcs	100	3.38	



• **CA816LG-77**
Walker

65	10	60	80-90
DIM	(kg)	NW/GW KGS (kg)	(kg)
68x27x84/4pcs	100	4.15	



• **CA8165L**
3-in-1 Walker

49	10.7	58	82-100
DIM	(kg)	NW/GW KGS (kg)	(kg)
57x18x86/1pc	100	4.2/5.2	



• **CA8122LG-3**
Aluminum Walker

- With 3" wheel
- Push down legs

61	12.5	55	77-87
DIM	(kg)	NW/GW KGS (kg)	(kg)
53x16x69/2pcs	100	3.06	



• **CA8122LG-4**
Aluminum Walker

- With 4" wheel
- Push down legs

66	12.5	55	77-87
DIM	(kg)	NW/GW KGS (kg)	(kg)
65x27x82/4pcs	100	3.24	



• **CA8122LG-5**
Aluminum Walker

- with 5" wheel
- Push down legs

66	12.5	56	77-87
DIM	(kg)	NW/GW KGS (kg)	(kg)
69x17x83/2pcs	100	3.44	



• **CA823L**
Alu Two Button Walker

58	11	47	77.5-95
DIM	(kg)	NW/GW KGS (kg)	(kg)
55x27x80/4pcs	100	2.5	



• **CA829L**
Alu Two Button Walker

- With seat

44	10	49	74-92
DIM	(kg)	NW/GW KGS (kg)	(kg)
57x19x79/2pcs	100	5.2	



• **CA8123LG-3**
Aluminum Walker

- with 3" wheel

58	12.5	53	80-90
DIM	(kg)	NW/GW KGS (kg)	(kg)
64x16x83/2pcs	100	2.46	

Cane Series



• CA831L3 • CA833L1 • CA833L2 • CA833L3 • CA833L4 • CA833L5 • CA834L1

• H1

• H2

• H11

• H10 (L/R)

• H13



• CA834L2 • CA834L3 • CA834L4 • CA834L5 • CA835L1 • CA835L2 • G1 • G2



• CA851L1 • CA851L2 • CA851L3 • CA851L5 • CA851L6 • CA8542L • CA8563L



• CA852L1 • CA852L2 • CA854L • CA856LL/LM/LS/LXS • CA838L • CA853 • CA853-N



• CA836



• CA837L



• CA8332L
Light Cane



• CA8391
Carbon Fibre
Cane




• CA8392
Carbon Fibre
Cane

SPECS(cm) MODEL	Height	Packaging DIM	Pcs/ctn	Maximum Weight (Kg)	NW/GW KGS
CA831L3	70.5-94.5	69x16x28	20	100	0.3
CA833L1	72-95	66x16x28	20	100	0.3
CA833L2	70-93	65x14x28	20	100	0.3
CA833L3	70-93	66x16x28	20	100	0.3
CA833L4	78-101	72x17x36	20	100	0.3
CA833L5	72-95	66x16x28	20	100	0.3
CA834L1	76-99	72x33x19	20	100	0.3
CA834L2	78-101	82x31x20	20	100	0.3
CA834L3	76-99	72x33x19	20	100	0.3
CA834L4	78-100.5	82x31x20	20	100	0.3
CA834L5	78-102.5	84x19x33	20	115	0.3
CA835L1	80-90	63x17x29	20	100	0.34/8.3
CA835L2	80-90	63x17x29	20	100	0.34
CA851L1	103-123	108x30x32	20	100	0.52
CA851L2	103-123	108x30x32	20	100	0.52
CA851L3	103-123	108x30x32	20	100	0.52
CA851L5	103-123	108x30x32	20	100	0.52
CA851L6	94-117	106x34x35	20	100	0.52
CA8542L	94.6-120	100x31x37	20	100	0.5
CA8563LL	105-127.5	107x31x40	20	100	0.93
CA8563LM	92.5-115.5	96x31x48	20	100	0.81
CA8563LS	84.5-107.5	88x31x52	20	100	0.73
CA852L1	95-126	111x30x33	20	100	0.56/11.84
CA852L2	87-117	86x30x30	20	100	0.5/11.22
CA854L	95-120	96x31x37	20	100	0.58
CA856LL	105-135	106x31x37	20	100	0.66
CA856LM	92-123	96x31x37	20	100	0.64
CA856LS	85-115	87x31x37	20	100	0.62
CA856LXS	85-91	71x31x37	20	100	0.54
CA838L	94-117	27x18x102	6	100	7.2/8.5
CA853	119	42x12x26	20	100	0.18
CA853-N	119	42x12x26	20	100	0.18
CA836	84.5	85x27x41	10	100	0.84
CA837L	55	91x29x52	10	100	1.44/16.1
CA8332L	75-98	77x32x29	20	100	0.547/12.2
CA8391	71-93.8	47.5x16x64	10	130	0.24
CA8392	81-91	47.5x17.5x32	10	130	0.26



• CA8456



SPECS(cnt) MODEL	Height cm	Packaging DIM	Pcs/cdn	Maximum weight KGS	NW/GW KGS
CA8451	72-97	76x29x43	10	110	0.81/9.3
CA8411	72-94.5	80x34x46	10	110	0.95
CA8412	72-94.5	80x34x45	10	110	0.92
CA842	66-89	76x24x45	10	110	0.78
CA841	71-94	82x42x60	10	100	1.17
CA8422	70.5-93.5	80x24x45	10	110	0.74
CA8423	70.5-93.5	81x24x45	10	110	0.74
CA8424	71-93.5	80x24x46	10	110	0.74
CA8425	79-95	80x30x40	10	100	0.94/10.9
CA8426	79-95	80x30x40	10	110	0.83/9.6
CA8423EX	70.5-93.5	81x24x45	10	110	0.74
CA843	74.5-97	76x29x45	10	110	0.76/9.1
CA8431	75-98	76x29x45	10	110	0.76
CA8432	75-98	76x29x45	10	110	0.76
CA845L	75-95	61x34x34	4	110	0.85/4.3
CA8430L	70-90	64x27x27	4	110	0.8/4.2
CA8452L	72-82	64x27x25	4	110	0.8/4.1
CA8434L	70-93	76x39x23	8	110	0.63/6.2
CA8427	66-89	70x21x44	8	110	0.91/8.5
CA8453	73.5-96	76x29x43	10	110	0.79/9.1
CA8454L	75-95	61x34x34	4	110	0.85/4.3
CA8455	74-97	78x29x43	10	110	0.85/9.5
CA8456	73-88	79x34x44	10	110	0.78/8.8
CA801LL	134.5-154	140x33x29 / 140x27x29	10/8prs	100	0.9
CA801LM	114-134	120x33x29 / 120x27x29	10/8prs	100	0.8
CA801LS	94-114	100x33x29 / 100x27x29	10/8prs	100	0.75
CA801LXS	72-87.5	81x33x29	10prs	100	0.75
CA802LL	132-152	138x33x29	10prs	100	0.8
CA802LM	112-133	118x33x29	10prs	100	0.76
CA802LS	91-111	99x33x29	10prs	100	0.7
CA803LL	127.5-147.5	133x33x29	10prs	100	0.9
CA803LM	108.5-129	119x33x29	10prs	100	0.8
CA803LS		100x33x29	10prs	100	0.7
CA8061L	100-130	83x33x29	10prs	100	0.9/20
CA8062L	93-154	100x39x29.5	10prs	100	2.05
CA8063L	100-147	107x33x30	10prs	100	0.98
CA807LL	137-157	143x33x29	10prs	100	1
CA807LM	117-137	123x33x29	10prs	100	0.9
CA807LS	100-117	103x33x29	10prs	100	0.8
CA2131L-A	85	86x25x31	20		5.7/6.7
CA2131L-B	90	91x25x31	20		4.1/5.1



• **CA223**
Steel Bedside Rail

- Powder coated frame

Width	Length	Height
57	82	52.5
		
44x35x55/5pcs	50	8.66



• **CA2231**
Steel Bedside Rail

- Powder coated frame

Width	Length	Height
54	92	94-106
		
82x54x17.5/1pc	100	3.5/4.2



• **CA2233**
Steel Bedside Rail

- Powder coated frame

Width	Length	Height
51	52.5	51.5
		
54x53x10.5/1pc	50	2.25

Option!

Add armrest



• **CA2234**
Steel Bedside Rail

- Powder coated frame

Width	Length	Height
35		80-114
		
37x9x51/1pc	90	2.5



• **CA221**
Steel Backrest

- Powder coated frame
- Nylon material

Width	Length	Height
62.5	46.5	47-63
		
64x9x61/1pc	75	2.7/3.7



• **CA230**
Hamper

- Steel chrome frame
- With wheels

Width	Length	Height
48	51.5	98
		
51x51x22/1pc	15	



• **CA2312**
Pedal Exercizer

Width	Length	Height
42	49	31
		
39x28x18.5/1pc	100	2.1/2.5



• **CA2312-A**
Digital Pedal Exercizer

Width	Length	Height
49.5	37	23.5
		
38x17.5x33/1pc	120	2.3/2.7



• **CA2312-B**
Digital Pedal Exercizer

Width	Length	Height
47	40	28
		
28x14.5x41/1pc	120	2.3/2.6



• **CA2313**
3-in-1 Exercizer

Width	Length	Height
42	42	65-95
		
47.5x12.5x20/1pc	120	3.7/4



• **CA2314**
3-in-1 Exercizer

Width	Length	Height
43.5	53	102
		
52x39x16/1pc	110	9/9.6



• **CA2315**
Electric Pedal Exercizer

Width	Length	Height
39	44	24.5
		
48x42x25/1pc		6.5/8


• **CA2111L**
Telescopic
Wheelchair Ramp

- With security locks
- Anti-slip surface
- Optional: easy-carrying bag
- Rust free aluminum body



• **CA2111LF**
Alu Foldable Ramp

- Available: 2", 3", 4", 5", 6"



Size	Extended L(cm)	Extended W(cm)	Folded L(cm)	Folded W(cm)		NW/GW KGS (Kg)
2"	61	18.9	45	19	45x8x24/1pc	2.8/3.5
3"	91	18.9	60	19	60x8x24/1pc	3.5/4.2
4"	122	18.9	75	19	75x8x24/1pc	4.5/5.5
5"	152	18.9	90	19	90x8x24/1pc	5.6/7.6
6"	183	18.9	105	19	105x8x24/1pc	7/8.2
7"	213	18.9	120	19	121x8x24/1pc	8.5/9.5
8"	241	18.9	135	19	136x8x24/1pc	9.6/10.2

Size	Width	Length	Height			NW/GW KGS (Kg)
2"	74.5	59	6	65x11x40/1pc	300	5
3"	74.5	90	6	95x11x40/1pc	300	8
4"	74.5	122	6	125x11x40/1pc	300	11
5"	74.5	153.5	6	155x11x40/1pc	300	13.8
6"	74.5	185	6	187x11x40/1pc	300	16.8



• **CA202**
Over Bed Table

- Powder coated frame
- Desk color: brown

Width	Length	Height
38	88	77.5-125
		
84x14x42/1pc	15	9.3/10.3



• **CA203**
Over Bed Table

- Powder coated frame

Width	Length	Height
43.5	60	53-83
		
43x13x60/1pc	15	6.5/7.5



• **CA201**
Over Bed Table

- Powder coated frame

Width	Length	Height
43	59	53-83
		
43x13x59/1pc	15	6.4/7.4



• **CA207**
Over Bed Table

- Powder coated frame

Width	Length	Height
54	92	94-106
		
55x95x22.5/1pc	15	14.9



• **CA204**
Over Bed Table

- Powder coated frame
- Desk color: white or brown

Width	Length	Height
40	77	72-113
		
80x22x42/1pc	15	8.5/9.5



• **CA209**
Over Bed Table

- Powder coated frame

Width	Length	Height
38	77	72-112
		
77x12x39/1pc	15	7.2/8.1



• **CA2081**
Over Bed Table

- Powder coated frame
- ABS desk

Width	Length	Height
45	90	78-105
		
91x23x82/1pc	15	10.1/11.3



• **CA2082**
Over Bed Table

- Powder coated frame
- ABS desk

Width	Length	Height
43	90	80-110
		
87x16x58/1pc	15	10.77



• **CA206**
Over Bed Table

- Powder coated frame
- Desk color: white or brown

Width	Length	Height
54	92	94-106
		
82x54x17.5/1pc	15	15.3/16.8



• **CA242**
Oxygen Cylinder Trolley

- Powder coated frame

Width	Length	Height
		94.2-117
		
30x29x66/2pcs		3.3/4.5



• **CA222**
IV Stander

- Stainless steel pole
- Plastic base with castors

Height	
136-230	upper frame-17x9x110/10pcs base-46x46x59/10pcs
	
15	11/13 17.8/19



• **CA224**
IV Stander

- Stainless steel pole
- Metal base with castors

Height	
120-200	upper frame-110x15x33/20pcs base-52x52x32/5pcs
	
15	14/15.6 8.5/9.7

Hospital Bed Series



• CA605E-W

5-Function Electric Hospital Bed

- Easy and fast assembly without tools, designed for 1 person delivery and assembly
- Mechanical height adjustment of footrest in 3 positions
- Backrest tilting from 0°-70°
- Footrest tilting from 0°-30°
- Full motorized bed adjustment 0°-12°
- Electrically operated height adjustment 385-810mm, stroke 425mm
- 4 individually lockable castors
- Handset with single fault safety and locking device
- Protection class IPX4
- Max Patient weight: 185kg
- Safe working load: 220kg



• CA-BT602M

2-Function Manual Hospital Bed

- Size: 2125x970x540mm
- Packing size: 205x97x26cm (main part/2pcs), 95x54x10cm (head & foot board/1pr)
- Max loading: 180KG(400lb) in movement
- Material: Steel electrostatic spraying
- Backrest tilting From 0° to (75°±5°)
- Footrest tilting From 0° to (40°±5°)
- Accessories:
 - 4pcs 5" standard castor two with brake
 - 1 pair aluminum side rail
 - 2pcs ABS head and foot board
 - 4pcs urine hooks
 - 2pcs cranks system
- Option: I.V pole, mattress, over bed table, bedside locker



• CA-BT603M

3-Function Manual Hospital Bed

- Size: 2125x970x430-790mm
- Packing size: 205x97x30cm/1pc
- Max Load: 180KG(400lb) in movement
- Material: Steel electrostatic spraying
- Function:
 - Backrest tilting From 0° to (75°±5°)
 - Footrest tilting From 0° to (40°±5°)
 - Hi-lo function
- Accessories:
 - 4pcs 5" silent castor all with brake, 1 pair aluminum side rail,
 - 2pcs ABS head and foot board, 4pcs urine hooks, 3 sets crank system, 4pcs dust cover
- Option: I.V pole, mattress, over bed table, bedside locker



Voltage:	Frequency:
> 110V	> Normal: 50Hz
> 220V	> Special: 60Hz
> 240V	



• CA-BT603E

3-Function Electric Hospital bed

- Size: 2125x970x430-830mm
- Packing size: 205x97x30cm (main part/1pc), 95x54x10cm (head & foot board/1pr)
- Max Load: 180KG(400lb) in movement
- Material: Steel electrostatic spraying
- Backrest tilting From 0° to (75°±5°)
- Footrest tilting From 0° to (40°±5°)
- Sit Position function
- Hi-lo function
- Handset
- Accessories:
 - 4pcs 5" silent castor all with brake, 1 pair aluminum side rail,
 - 2pcs ABS head and foot board, 4pcs urine hooks, 1set MOTECK motor, 1pc Electric cable holder, 4pcs dust cover
- Option: I.V pole, mattress, over bed table, back-up battery, bedside locker



• CA1301

Electric Hospital Bed - Detachable Into A Wheelchair

- Size: 2100x1000x850mm
- Packing size: 171x84x51cm(main part/pc),
180x71x72.5cm(wheelchair part/pc)
- Wheelchair backrest tilting from 0°-85°±2°
- Wheelchair footrest tilting from 0°-75°±2°
- Wheelchair with hand break
- Seat width is 48±1.5cm
- Flip up armrest
- With 6" front castors, 12" rear wheels & 2.5" anti-tilt wheels
- Automatic folding system
- Max Patient weight: 100kg(220lb) in movement
- Safe working load: 115kg(253lb)
- Option: Qver bed table



• CA-88QD

Air Mattress

- Nylon Color: Jewelry Blue
- Accessories: repair kit, 1 Free spare cell
- Cell and base material: Nylon+PVC
- Test Duration: 24 Hours(Inflation)
- Pressure Ulcer Stage: I,II
- Mattress System: Overlay
- 18 cells
- Size: 200x90x11.5cm
- Packing size: 60x36x28cm/2pcs
- Cell height: 11.5cm/5"
- With CPR, flaps, PU cover
- Weight Support: 160Kg

- CPR Optional
- Cover Optional
- Flaps Optional



1 Free Spare Cell



20cells

- Size: 200x86x9.5cm
- Packing size: 49x38x34cm/2pcs
- Cell height: 9.5cm/4"
- Weight Support: 140Kg



• CA-BT306L/X

Air Mattress

- Size: 200(L)x90(W)x7.0(H)cm
- Packing size: 52.5x29x38cm/6pcs
- 130 bubble with end flaps
- Accessories: repair kit, 1.5M hose
- Mattress weight: 1.8-2.1kg
- Material: medical class Taiwan
- Nanya PVC K80, thickness: 0.3mm
- Color: beige, blue
- Weight Capacity: 120-130kg



Pump L

- Power supply: 110V/220V 50Hz-60Hz
- Pressure range: 50-120 mmHg
- Air output: 7-8L/min
- Cycle time: 12min.
- Power consumption: 7W
- Fuse: 1A
- Dimensions(LxWxH): 29x12x10 cm
- weight: 1.4kg



Pump X

- Power supply: 110V/220V 50Hz-60Hz
- Pressure range: 50-120 mmHg
- Air output: 5-7L/min
- Cycle time: 12min.
- Power consumption: 7W
- Fuse: 1A
- Dimensions(LxWxH): 23.5x12x9.5 cm
- weight: 1.4kg



• CA-BC303(7CM)

Mattress

- Size: 1950x840x70mm
- Material: High density foam+Coconut fiber+Oxford fabric



• CA-BT303(8CM)

Mattress

- Size: 1950x840x80mm
- Material: waterproof Oxford fabric+High density foam+coconut fibre
- With Exhaust hole



• CA215

Wheelchair air cushion


- Size: 42x42x4.5cm
- Material: TPU



• CA2141

Wheelchair air cushion

- Size: 42x34x4.5cm
- Material: TPU



• CA2142

Wheelchair gel cushion

- Size: 41x42x4.5cm
- Material: Neoprene+TPE Gel + Elastic Sponge + Anti skid PVC pad



• CA310

Ward screen

- Stainless steel
- 2,3,4,5 panels optional



• CA1261

Stretcher

- Backrest-tilting
- With storage base



• CA2811

Bedside locker

- Stainless steel


Spare parts

• Rear Wheel for wheelchairs



R1 24" solid rubber wheel	R3 24" pneumatic wheel	R5 24" Mag wheel	R7 12" TPR wheel	R9 16" PU mag wheel
R2 24" PU wheel	R4 24" mag wheel with PU tyre	R6 24" wheel	R8 12" PU mag wheel	

• Castors



F1 5" PVC castor	F4 6" PU castor(black)	F7 8" PU castor	F10 8"x2" TPR castor	F13 8" big soft rubber castor
F2 6" PVC castor	F5 8" PVC castor	F8 8" PVC castor(strong)	F11 8"x2" PU castor	F14 10" big air castor
F3 6" PU castor(grey)	F6 8" PVC castor(flat)	F9 8"x2" PVC castor	F12 Soft rubber :6", 8", 10"	

• Castors with fork



W1 3" solid castor set without brake	W4 5" solid castor set	W7 5" solid castor set(good quality)	W10 3" ABS castor(good quality)
W2 3" solid castor set	W5 4" solid castor set(quiet)	W8 5" solid castor set(good quality)	W11 3" ABS castor(good quality)
W3 4" solid castor set	W6 5" solid castor set(good quality)	W9 5" SS fork castor	W12 2" castor for over bed table

• Commode



• Cane



Accessories



Wheelchair Seat & Backrest Color



Wheelchair Function Picture



Sales Network

